


213001



DIMENSIONS DRAWING




DESCRIPTION

- 220-240Vac 10W IP65 3 CCT LED Flood light
- Frameless and full screen lighting
- Switchable CCT 3000K / 4100K / 6500K
- 80lm/w At whole lamp
- 120° Beam Angle
- IP65
- Comes with H05RN-F 3G1.0mm² white cable
- Inclined bracket for easier installation
- Die casting aluminum housing for better heat dissipation
- 2 years warranty

214001



DIMENSIONS DRAWING




DESCRIPTION

- 220-240Vac 20W IP65 3 CCT LED Flood light
- Frameless and full screen lighting
- Switchable CCT 3000K / 4100K / 6500K
- 80lm/w At whole lamp
- 120° Beam Angle
- IP65
- Comes with H05RN-F 3G1.0mm² white cable
- Inclined bracket for easier installation
- Die casting aluminum housing for better heat dissipation
- 2 year warranty

215001



DIMENSIONS DRAWING




DESCRIPTION

- 220-240Vac 30W IP65 3 CCT LED Flood light
- Frameless and full screen lighting
- Switchable CCT 3000K / 4100K / 6500K
- 80lm/w At whole lamp
- 120° Beam Angle
- IP65
- Comes with H05RN-F 3G1.0mm² white cable
- Inclined bracket for easier installation
- Die casting aluminum housing for better heat dissipation
- 2 year warranty

216001



DIMENSIONS DRAWING




DESCRIPTION

- 220-240Vac 50W IP65 3 CCT LED Flood light
- Frameless and full screen lighting
- Switchable CCT 3000K / 4100K / 6500K
- 80lm/w At whole lamp
- 120° Beam Angle
- IP65
- Comes with H05RN-F 3G1.0mm² white cable
- Inclined bracket for easier installation
- Die casting aluminum housing for better heat dissipation
- 2 year warranty

217001



DIMENSIONS DRAWING



DESCRIPTION

- 220-240Vac 100W IP65 3 CCT LED Flood light
- Frameless and full screen lighting
- Switchable CCT 3000K / 4100K / 6500K
- 80lm/w At whole lamp
- 120° Beam Angle
- IP65
- Comes with H05RN-F 3G1.0mm² white cable
- Inclined bracket for easier installation
- Die casting aluminum housing for better heat dissipation
- 2 year warranty